






Specification:

1. Low Loss IL: $\leq 0.25\text{dB}$
2. Return Loss: $\geq 55\text{dB}$
3. Operation Environment: $-40\sim+85^{\circ}\text{C}$
4. Storage Environment: $-40\sim+85^{\circ}\text{C}$



Structural Diagram



		SHENZHEN OPTICO COMMUNICATION CO., LTD.							
Model	LCUPC-LCUPC SM G657A2 SX Fiber Patchcord 2.0/3.0mm Yellow LSZH CPR-Dca Cable					OP-SX-LCU-FP-2.0/3.0-SM			
FIRST ANGLE PROJECTION 	MATERIAL	UNIT	SCALE	SIZE	SHEET	DRAWN	XUELING W	DATE	2025.05.07
	LSZH	m	/	A4	1	CHECKED	Michael Liu	DATE	2025.05.07
						APPROVED	STEVEN Zhang	DATE	2025.05.07





Structural Diagram

Specification:

- 1.Low Loss IL: $\leq 0.25\text{dB}$
- 2.Return Loss: $\geq 65\text{dB}$
- 3.Operation Environment: $-40\sim+85^{\circ}\text{C}$
- 4.Storage Environment: $-40\sim+85^{\circ}\text{C}$



		SHENZHEN OPTICO COMMUNICATION CO., LTD.							
Model	LCAPC-LCAPC SM G657A2 SX Fiber Patchcord 2.0/3.0mm Yellow LSZH CPR-Dca Cable						OP-SX-LCA-FP-2.0/3.0-SM		
FIRST ANGLE PROJECTION 	MATERIAL	UNIT	SCALE	SIZE	SHEET	DRAWN	XUELING W	DATE	2025.05.07
	LSZH	m	/	A4	1	CHECKED	Michael Liu	DATE	2025.05.07
						APPROVED	STEVEN Zhang	DATE	2025.05.07





Structural Diagram

Specification:

- 1.Low Loss IL: $\leq 0.25\text{dB}$
- 2.Return Loss: $\geq 35\text{dB}$
- 3.Operation Environment: $-40\sim+85^{\circ}\text{C}$
- 4.Storage Environment: $-40\sim+85^{\circ}\text{C}$



		SHENZHEN OPTICO COMMUNICATION CO., LTD.							
Model	LCUPC-LCUPC OM1/2 SX Fiber Patchcord 2.0/3.0mm Orange LSZH CPR-Dca Cable						OP-SX-LCU-FP-2.0/3.0-M1/2		
FIRST ANGLE PROJECTION 	MATERIAL	UNIT	SCALE	SIZE	SHEET	DRAWN	XUELING W	DATE	2025.05.07
	LSZH	m	/	A4	1	CHECKED	Michael Liu	DATE	2025.05.07
						APPROVED	STEVEN Zhang	DATE	2025.05.07





Structural Diagram

Specification:

- 1.Low Loss IL: $\leq 0.25\text{dB}$
- 2.Return Loss: $\geq 35\text{dB}$
- 3.Operation Environment: $-40\sim+85^{\circ}\text{C}$
- 4.Storage Environment: $-40\sim+85^{\circ}\text{C}$



		SHENZHEN OPTICO COMMUNICATION CO., LTD.							
Model	LCUPC-LCUPC OM3/4 SX Fiber Patchcord 2.0/3.0mmAqua LSZH CPR-Dca Cable						OP-SX-LCU-FP-2.0/3.0-M3/4		
FIRST ANGLE PROJECTION 	MATERIAL	UNIT	SCALE	SIZE	SHEET	DRAWN	XUELING W	DATE	2025.05.07
	LSZH	m	/	A4	1	CHECKED	Michael Liu	DATE	2025.05.07
						APPROVED	STEVEN Zhang	DATE	2025.05.07





Structural Diagram

Specification:

- 1.Low Loss IL: $\leq 0.25\text{dB}$
- 2.Return Loss: $\geq 35\text{dB}$
- 3.Operation Environment: $-40\sim+85^{\circ}\text{C}$
- 4.Storage Environment: $-40\sim+85^{\circ}\text{C}$



		SHENZHEN OPTICO COMMUNICATION CO., LTD.							
Model	LCUPC-LCUPC OM3/4 SX Fiber Patchcord 2.0/3.0mm Magenta LSZH CPR-Dca Cable						OP-SX-LCU-FP-2.0/3.0-M3/4		
FIRST ANGLE PROJECTION 	MATERIAL	UNIT	SCALE	SIZE	SHEET	DRAWN	XUELING W	DATE	2025.05.07
	LSZH	m	/	A4	1	CHECKED	Michael Liu	DATE	2025.05.07
						APPROVED	STEVEN Zhang	DATE	2025.05.07



Structural Diagram

Specification:

- 1.Low Loss IL: $\leq 0.25\text{dB}$
- 2.Return Loss: $\geq 35\text{dB}$
- 3.Operation Environment: $-40\sim+85^{\circ}\text{C}$
- 4.Storage Environment: $-40\sim+85^{\circ}\text{C}$

		SHENZHEN OPTICO COMMUNICATION CO., LTD.							
Model	LCUPC-LCUPC OM5 SX Fiber Patchcord 2.0/3.0mm Lime Green LSZH CPR-Dca Cable					OP-SX-LCU-FP-2.0/3.0-M5			
FIRST ANGLE PROJECTION 	MATERIAL	UNIT	SCALE	SIZE	SHEET	DRAWN	XUELING W	DATE	2025.05.07
	LSZH	m	/	A4	1	CHECKED	Michael Liu	DATE	2025.05.07
						APPROVED	STEVEN Zhang	DATE	2025.05.07